

## **Bibliografia**

1. Butler D. Mobilizzazione del sistema nervoso. Masson, Milano, 2002.
2. Conley MS, Meyer RA, Bloomberg JJ, Feedback DL, Dudley GA.. Noninvasive analysis of human neck muscle function. *Spine* 1995; 20: 2505–2512.
3. Fernandez-de-Las-Penas C, Cuadrado ML, Pareja JA. Myofascial trigger points, neck mobility, and forward head posture in episodic tension-type headache. *Headache* 2007;47(5):662-72.
4. Grant R, Jull G, Spencer T Active stabilisation training for screen based keyboard operators — a single case study. *Australian Journal of Physiotherapy* 1998;43: 235–242.
5. Janda V Muscles and motor control in cervicogenic disorders: Assessment and management. In: Grant R (ed) *Physical Therapy of the Cervical and Thoracic Spine*, 2nd Edition. Churchill Livingstone New York, pp 195–216, 1994.
6. Jull G, Treleaven J, Versace G. Manual examination: is pain provocation a major cue for spinal dysfunction? *Australian Journal of Physiotherapy* 1994;40:159–165.
7. Jull G, Zito G, Trott P, Potter H, Shirley D, Richardson C. Inter-examiner reliability to detect painful upper cervical joint dysfunction. *Australian Journal of Physiotherapy* 1997;43:125–129.
8. Jull GA, Bogduk N, Marsland A The accuracy of manual diagnosis for cervical zygapophysial joint pain syndromes. *Medical Journal of Australia* 1988;148: 233–236.
9. Kjellmann G, Oberg B. A randomized clinical trial comparing general exercise, McKenzie treatment and a control group in patients with neck pain. *J Rehabil Med* 2002; 34:183-90.
10. Mayoux-Benhamou MA, Revel M, Vallee C, Roudier JP, Bary F. Longus Colli has a postural function on cervical curvature. *Surgical and Radiologic Anatomy* 1994;16: 367–371.
11. [McDonnell MK, Sahrman SA, Van Dillen L.](#) A specific exercise program and modification of postural alignment for treatment of cervicogenic headache: a case report. *J Orthop Sports Phys Ther.* 2005 Jan;35(1):3-15.
12. McKenzie RA. *The Cervical and Thoracic Spine. Mechanical Diagnosis and Therapy.* First Edition, Spinal Publications (N.Z.) Ltd, Waikanae, New Zealand, 1990.
13. Moore MK. Upper crossed syndrome and its relationship to cervicogenic headache. [J Manipulative Physiol Ther.](#) 2004 Jul-Aug;27(6):414-20.
14. Mulligan, BR; *Manual Therapy 'NAGS', 'SNAGS', 'MWMS' etc.* (5th Ed), Plane View Press, Wellington. 1995.
15. Revel M, Andre-Deshays C, Minguet M Cervicocephalic kinesthetic sensibility in patients with cervical pain. *Archives of Physical Medicine and Rehabilitation* 1991; 72: 288–291.
16. Rosenfeld M, Gunnarsson R, Borenstein P. Early intervention in whiplash-associated disorders: A comparison of two treatment protocols. *Spine* 2000; 25(14):1782-5.
17. Shacklock M. *Clinical Neurodynamics - A New System of Neuromusculoskeletal Treatment.* Elsevier, Oxford, 2005.
18. Vikari-Juntura E, Porras M, Laasonen EM. Validity of clinical tests in. the diagnosis of root compression in cervical disc disease. *Spine* 1989;14:253-257.
19. Vitti M, Fujiwara M, Basmajain J, Iida M The integrated roles of longus coli and sternocleidomastoid muscles: an electromyographic study. *Anatomical Record* 1973;177: 471–484.
20. White SG, Sahrman SA. A movement system balance approach to management of musculo-skeletal pain. In: Grant R (ed) *Physical Therapy of the Cervical and Thoracic Spine*, 2nd Edition. Churchill Livingstone, New York, pp 339–357, 1994.